

is hereby authorized to continue to apply the 3-A Symbol to the models of equipment, conforming to 3-A Sanitary Standards for:

Number 33-03 33-03 (Metal Tubing)

set forth below

CIP Models - 1/2" to 3.0" O.D. X .065" Wall, 4.0" O.D. X .083" Wall, and 6.0" O.D. X .109" Wall

VALID THROUGH: December 31, 2023

Timothy R. Rugh Executive Director 3-A Sanitary Standards, Inc.

The issuance of this authorization for the use of the 3-A Symbol is based upon the voluntary certification, by the applicant for it, that the equipment listed above complies fully with the 3-A Sanitary Standard(s) designated. Legal responsibility for compliance is solely that of the holder of this Certificate of Authorization, and 3-A Sanitary Standards, Inc. does not warrant that the holder of an authorization at all times complies with the provisions of the said 3-A Sanitary Standards. This in no way affects the responsibility of 3-A Sanitary Standards, Inc. to take appropriate action in such cases in which evidence of nonconformance has been established.

NEXT TPV INSPECTION/REPORT DUE: June 2027



is hereby authorized to continue to apply the 3-A Symbol to the models of equipment, conforming to 3-A Sanitary Standards for:

Number 63-04 63-04 (Sanitary Fittings)

set forth below

Both CIP and COP Sanitary Fitting Model Numbers: Sizes 0.5" to 6.0"

Clamp Type Fittings: 14WMP, 14WLMP, L14AM7, 14MPW, 31WMP, 23BMP, 16AMP, 14ASME

2CMP, 2CMP-31MP, 2KMP, 2UMP, 7MP, 7MPS, 7RMP, 7RMPS, 9MP, 28AMP, 28BMP, 31-14MP, 32-14MP, 14MPHR, 21MP, 22MP, 14MPHT.

Weld Fittings: L2S, 2WCL, L2CM, L2C, L2F, L2KS, 2WK, L2KM, L2K, L2P, 2WU, 7W, 7RW, 7WWW, 7RWWW, 7WWMS, 7RWWMS, 9W, 9WWWW, 28WB, 28WA, 31W, 32W, 19WB, 22WB, 14WA, 14WHR, 16W, 2SXL, 2KXL.

Bevel Seat Fittings: 14PRF, 15TRF, L14A7, L15A7, 14W, 15W, 14WL, 15WL, 16A, 23B, 2C, 2F, 2E, 2K, 2P, 7, 7A, 7B, 15AHR, 14AHR.

John Perry: 14PRFJP, 15TRFJP, L14AJP, L15AJP, 16AJP.

I-line Fittings: 14WI, 15WI, 14WLI, 15WLI, 14WHI, 15WHI, 16AI-14I, 16AI-15I, 23BI, 2FI, 2CI, 2EI, 2PI, 2KI, 2HI, 7I, 7HI, 7AI, 7EI, 9HI, 9I.

VALID THROUGH: December 31, 2023

Timothy R. Rugh Executive Director 3-A Sanitary Standards, Inc.

The issuance of this authorization for the use of the 3-A Symbol is based upon the voluntary certification, by the applicant for it, that the equipment listed above complies fully with the 3-A Sanitary Standard(s) designated. Legal responsibility for compliance is solely that of the holder of this Certificate of Authorization, and 3-A Sanitary Standards, Inc. does not warrant that the holder of an authorization at all times complies with the provisions of the said 3-A Sanitary Standards. This in no way affects the responsibility of 3-A Sanitary Standards, Inc. to take appropriate action in such cases in which evidence of nonconformance has been established.



is hereby authorized to continue to apply the 3-A Symbol to the models of equipment, conforming to 3-A Sanitary Standards for:

Number 42-02 42-02 (In-Line Strainers)

set forth below

Both CIP and COP: In-Line Models KEAxxxxx and KEBxxxxx; Side Inlet Models KECxxxxx and KEDxxxxx all where xxxxx denotes line connection size.

VALID THROUGH: December 31, 2023

Timothy R. Rugh Executive Director 3-A Sanitary Standards, Inc.

The issuance of this authorization for the use of the 3-A Symbol is based upon the voluntary certification, by the applicant for it, that the equipment listed above complies fully with the 3-A Sanitary Standard(s) designated. Legal responsibility for compliance is solely that of the holder of this Certificate of Authorization, and 3-A Sanitary Standards, Inc. does not warrant that the holder of an authorization at all times complies with the provisions of the said 3-A Sanitary Standards. This in no way affects the responsibility of 3-A Sanitary Standards, Inc. to take appropriate action in such cases in which evidence of nonconformance has been established.



is hereby authorized to continue to apply the 3-A Symbol to the models of equipment, conforming to 3-A Sanitary Standards for:

Number 65-01 (Sight and/or Light Windows and Sight Indicators in Contact with Product)

set forth below

Both CIP and COP Models: 54BMP-xx and 54CMP-xx Type Sight Indicator (Sight Glass) where xx = connection size.

VALID THROUGH: December 31, 2023

Timothy R. Rugh Executive Director 3-A Sanitary Standards, Inc.

The issuance of this authorization for the use of the 3-A Symbol is based upon the voluntary certification, by the applicant for it, that the equipment listed above complies fully with the 3-A Sanitary Standard(s) designated. Legal responsibility for compliance is solely that of the holder of this Certificate of Authorization, and 3-A Sanitary Standards, Inc. does not warrant that the holder of an authorization at all times complies with the provisions of the said 3-A Sanitary Standards. This in no way affects the responsibility of 3-A Sanitary Standards, Inc. to take appropriate action in such cases in which evidence of nonconformance has been established.



is hereby authorized to continue to apply the 3-A Symbol to the models of equipment, conforming to 3-A Sanitary Standards for:

Number 58-02 58-02 (Vacuum Breakers and Check Valves)

set forth below

CIP Models: 45MP In-Line Check Valves Part Number 45MP-xx where xx is connection size (0.5" to 4.0").

VALID THROUGH: December 31, 2023

Timothy R. Rugh Executive Director 3-A Sanitary Standards, Inc.

The issuance of this authorization for the use of the 3-A Symbol is based upon the voluntary certification, by the applicant for it, that the equipment listed above complies fully with the 3-A Sanitary Standard(s) designated. Legal responsibility for compliance is solely that of the holder of this Certificate of Authorization, and 3-A Sanitary Standards, Inc. does not warrant that the holder of an authorization at all times complies with the provisions of the said 3-A Sanitary Standards. This in no way affects the responsibility of 3-A Sanitary Standards, Inc. to take appropriate action in such cases in which evidence of nonconformance has been established.



is hereby authorized to continue to apply the 3-A Symbol to the models of equipment, conforming to 3-A Sanitary Standards for:

Number 02-12 02-12 (Centrifugal and Positive Rotary Pumps)

set forth below

Clean-in-Place Models: TF-C100. TF-C114, TF-C216, TF-C218, TF-C328. Pumps with Clamp, TI-Line, Q-Line, or John Perry Connection Types and Seal Options D, DG, E, or F
•Both CIP and COP Models: TF-C100, TF-C114, TF-C216, TF-C218, TF-C328. Pumps with Bevel Seat Connection Types and Seal Options D, DG, E, or F

VALID THROUGH: December 31, 2023

Timothy R. Rugh Executive Director 3-A Sanitary Standards, Inc.

The issuance of this authorization for the use of the 3-A Symbol is based upon the voluntary certification, by the applicant for it, that the equipment listed above complies fully with the 3-A Sanitary Standard(s) designated. Legal responsibility for compliance is solely that of the holder of this Certificate of Authorization, and 3-A Sanitary Standards, Inc. does not warrant that the holder of an authorization at all times complies with the provisions of the said 3-A Sanitary Standards. This in no way affects the responsibility of 3-A Sanitary Standards, Inc. to take appropriate action in such cases in which evidence of nonconformance has been established.